


Aledo Independent School District

GRADES 6-12 DISTANCE LEARNING

School Name	Aledo High School
Grade Level	9-12
Week of	5/3/22 *All assigned work due by Sunday at midnight

Math Resource					
Estimated Time to Complete: 2 hours					
Resources Needed: Topic 1-2 Notes, Assignment #1-2					
Lesson Delivery (What do we want you to learn?):					
Integers, Absolute Value and Properties					
Engage and Practice (What do we want you to do?):					
 Go over completed notes/examples Topic #1-2, Integers, Absolute Value and Properties Watch the google slides video explaining the notes Homework Assignment #1-2 					
Create and Submit (What do we want you to turn in?):					
Assignment #1-2					
Optional Extension Opportunity (What do we want you to do if you want to extend your learning?):					
I have included an activity if you would like to extend your learning. It is a Property Activity (Commutative Property, Associative Property, Distributive Property) Write the letters attached to the activity squares on the attached 3 column sheet.					

TOPIC # 1 - 2: Integers, Absolute Value and Properties



- 1) Label "0".
- 2) Label the side that contains the negative numbers.
- 3) Label the side that contains the positive numbers.
- 4) Place 3, 3.5, 4 on the number line.
- 5) Place -3, -3.5, -4 on the number line.

Write an integer for the following, then write its opposite.

6) three degrees below zero

+3

7) \$20 lost trading

8) 50 feet above sea level

9) 10 yards gained on the field

10) a bank deposit of \$500

Absolute Value of a number is the distance a number is away from zero. <u>IT IS ALWAYS POSITIVE!</u>

14)
$$|-4| + |3| = 7$$

4 + 3

17)
$$3|-4| = 12$$

3(4)

Compare each pair of numbers using <, >, or =.

There are 3 properties that we will use.

Commutative Property

$$A + B = B + A$$
$$A \bullet B = B \bullet A$$

Associative Property


$$(A + B) + C = A + (B + C)$$

 $(A \bullet B) \bullet C = A \bullet (B \bullet C)$

D'stributive Property

$$A(B + C) = A \cdot B + A \cdot C$$
$$A(B - C) = A \cdot B - A \cdot C$$

Name the property illustrated.



$$7x + 8y = 8y + 7x$$

$$r(3 + 4t) = 3r + 4rt$$

$$(6x + 9) + 7y = 6x + (9 + 7y)$$

$$7(3 \bullet 5) = (7 \bullet 3) 5$$

$$6x + (2y + 5z) = (2y + 5z) + 6x$$

$$(5 \cdot 3a) \cdot 2b = (3a \cdot 5) \cdot 2b$$

$$(a + 4) 15 = 15a + 60$$

Commutative

Distributive

Associative

Associa tive

Commutative

Commutative

Distributive

Integers, Absolute Value and Properties

Write a number to represent each situation. Then write the opposite of that number.

1. Five steps down

2. Two rooms to the right

3. 190 m above sea level

4. Nine degrees below zero

5. Four losses

Graph the given numbers on a number line.

6. 1, -5, -3, 4, 3, 0

4

7. -3,1,0,-2,-1,2,3



Simplify.

...

\$ ** ____

16. - |5| = _____

A#1-2

Compare each pair of numbers using <, >, or =.

Name the property illustrated.

26.
$$(6+4)+2=6+(4+2)$$

$$27.7+6=6+7$$

28.
$$7(ab) = (7a)b$$

29.
$$10x + 10y = 10(x + y)$$

30.
$$(5x^2 + x) - 3 = (x + 5x^2) - 3$$

32.
$$3(5+c)=(5+c)3$$

31. 4(a-5b) = 4a-20b